

S20	2569	((709/249) or (709/250) or (709/251) or (709/252) or (709/253)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:23
S21	2	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:33
S22	42	S19 and (multiprocessor\$5 multi-processor\$5 symmetric\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:24
S23	12	S19 and (multiprocessor\$5 multi-processor\$5 symmetric\$5) and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:26
S24	7	S19 and (multiprocessor\$5 multi-processor\$5 symmetric\$5) and @ad<"20010504" and symmetric\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:35
S25	25	(symmetric adj multiprocessor\$5) with (NUMA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:29
S26	373	((link\$3 path\$3 session\$3 line? connection?) near8 (congest\$6 saturat\$6)) with (alternat\$6 different\$5 second\$3 'another' 'other' backup\$3 back-up\$3 shift\$3 alter\$3 chang\$5) adj3 (path\$3 link\$3 session\$5 line? connection\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:10
S27	3	S26 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:34

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	63	((backup\$5 different\$5 alternat\$6 'another') near9 (session\$5 connection\$3 link\$3 path\$3)) with ((enough sufficient\$5) near5 bandwidth\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:22
L12	580	(congest\$6 saturat\$9 traffic\$5 bottleneck\$5 clog\$5 jam) with ((enough sufficient\$5) near5 bandwidth\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:30
L13	40	11 and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:33
L14	3	11 and @ad<"20010504" and (symmetr\$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:25
L15	1	11 and @ad<"20010504" and (multiprocessor\$5 multi-processor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:27
L16	56	12 and @ad<"20010504" and (symmetr\$9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:25
L17	7	12 and @ad<"20010504" and (multiprocessor\$5 multi-processor\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:27
L18	12	11 and @ad<"20010504" and (mesh\$5 cross-bar\$3 crossbar\$5 ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:37

L19	6	((("20020036996") or ("5953319") or ("5950124"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:40
L27	1	( torus adj (array\$5 network\$3)) with (symmetric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:09
L28	47	( torus ) with (symmetric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:09
L29	67	( torus ) with (smp symmetric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 14:09
L72	2	aware adj (congestion\$3 traffic\$5 saturation\$3) near (connection link\$3 line\$3 session\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 16:57
S1	0	(symmetric adj multiprocessor\$5) and ((different\$5 alternat\$6 'another') near bandwidth\$5 near (link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:34
S2	3	(symmetric adj multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:23
S3	6	(symmetric adj multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another' temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	0	(symmetric adj multiprocessor\$5) and ((different\$5 alternat\$6 'another') near bandwidth\$5 near (link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:34
L20	3	(symmetric adj multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:23
L21	6	(symmetric adj multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another' temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:37
L22	24	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' temporar\$5 chang\$5 'other') with bandwidth\$5 with (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:41
L23	44	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') with bandwidth\$5 with (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:42
L24	56	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3 channel\$5 interconnect\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:43
L25	46	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3 channel\$5 interconnect\$5)) and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:43
L26	1	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (shar\$5 near4 ((operating adj system\$3) os))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:04

L27	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 transaction near4 time) with ((operating adj system\$3) os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05
L28	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near4 time) with ((operating adj system\$3) os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05
L29	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 transaction near4 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05
L30	2	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:12
L31	1	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (load\$3 adj3 balance\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:15
L32	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (respon\$5 adj2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:18
L33	5	(processor\$3 adj2 load adj balance\$3) with (fast\$5 reduc\$5 (respon\$5 adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:19
L34	7	(processor\$3 near load near balance\$3) with (fast\$5 reduc\$5 (respon\$5 adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:20

L38	110	(multi-processor\$6 multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:24
L39	75	38 and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:36

S28	12	S26 and (multiprocessor\$5 multi-processor\$5 symmetric\$5) and @ad<"20010504" and symmetric\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:35
S29	4	S26 and (multiprocessor\$5 multi-processor\$5 ) and @ad<"20010504" and symmetric\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:13
S30	2	("20020010792").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:44
S31	20	"5444701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:44
S32	12	((alternat\$6 different\$5 second\$3 'another' 'other' backup\$3 back-up\$3 shift\$3 alter\$3 chang\$5) adj3 (path\$3 link\$3 session\$5 line? connection\$5)) and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:45
S33	6	S32 and @ad<"20010504" and symmetric\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:15
S36	2	S26 and (multiprocessor\$5 multi-processor\$5 ) and @ad<"20010504" and torus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:13
S37	6	S32 and @ad<"20010504" and symmetr\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:17

S38	6	S32 and @ad<"20010504" and symmetr\$5 and (bandwidth\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:05
-----	---	---	---	----	-----	------------------



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6643764"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 20:59
L2	4	((("6092174") or ("5878241"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:00
L3	16	(thorson near gregory near m).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:01
L4	0	(silicon near graphics).as. and multiprocessor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:01
L5	141	(silicon near graphics).as. and multiprocessor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:01
L6	124	(silicon near graphics).as. and multiprocessor\$5 and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:02
L7	39	(silicon near graphics).as. and multiprocessor\$5 and @ad<"20010504" and bandwidth\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:06
L8	12	(silicon near graphics).as. and multiprocessor\$5 and @ad<"20010504" and bandwidth\$5 and (ethernet\$5 (operating adj system\$3) os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:08

L9	18	(silicon near graphics).as. and multiprocessor\$5 and @ad<"20010504" and bandwidth\$5 and (ethernet\$5 (operating adj system\$3) symmetric\$5 os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:11
L10	1	"6230252".pn. and ((operating adj system\$3) os software\$5 program\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 21:12

S4	24	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' temporar\$5 chang\$5 'other') with bandwidth\$5 with (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:41
S5	44	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') with bandwidth\$5 with (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:42
S6	56	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3 channel\$5 interconnect\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:43
S7	46	(smp (symmetric adj multiprocessor\$5)) and ((backup\$5 different\$5 alternat\$6 'another' second\$5 temporar\$5 chang\$5 'other') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3 channel\$5 interconnect\$5)) and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/11 23:43
S8	1	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (shar\$5 near4 ((operating adj system\$3) os))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:04
S9	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 transaction near4 time) with ((operating adj system\$3) os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05
S10	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near4 time) with ((operating adj system\$3) os)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05
S11	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 transaction near4 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:05

S12	2	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (reduc\$5 near9 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:12
S13	1	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (load\$3 adj3 balance\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:15
S14	0	(symmetric adj (multiprocessor\$5 multi-processor\$5)) with (respon\$5 adj2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:18
S15	5	(processor\$3 adj2 load adj balance\$3) with (fast\$5 reduc\$5 (respon\$5 adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:19
S16	7	(processor\$3 near load near balance\$3) with (fast\$5 reduc\$5 (respon\$5 adj2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:20
S17	110	(multi-processor\$6 multiprocessor\$5) and ((backup\$5 different\$5 alternat\$6 'another') near9 bandwidth\$5 near9 (session\$5 connection\$3 link\$3 path\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 13:20
S18	75	S17 and @ad<"20010504"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/12 00:36
S19	231	((link\$3 path\$3 session\$3 line? connection?) near4 (congest\$6 saturat\$6)) with (alternat\$6 different\$5 second\$3 'another' 'other') adj3 (path\$3 link\$3 session\$5 line? connection\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 10:31